



GEROMAC

... powerful machinery

GEROMAC PE320 airless hydraulic electric paint sprayer is the ideal airless unit for medium to large size professional painters. This heavy duty hydraulic sprayer can spray the majority of all interior and exterior coatings due to its 3" pump stroke and large material inlet, ensuring accurate pumping. PE320 airless paint sprayer has been designed for commercial and residential paint jobs, renovation and property maintenance.



Hydraulic paint sprayer

Article No.	100320
Max. Flow	4.7 l/min
Max. Pressure	225 bar
Power	2.5 HP
Max. Tip	0.035"

Ordering options

2hp Art. No.	100220
2.5hp Art. No.	100320
3hp Art. No.	100330
4hp Art. No.	100340

Spray Material

Applications

Features

Includes

Interior & exterior wall paints
 Emulsion | Acrylics | Elastomeric
 Block fillers | Latex
 Solvent based paint
 Airless premixed plaster

Medium to large jobs
 Residential applications
 Indoor - Outdoor coatings
 1 - 2 gun user

Hydraulic operation
 Built in filter
 Large material inlets
 Adjustable pressure
 Multiple users

15 m Paint hose 1/4"
 Airless paint gun
 Spray tip & Guard


 GEROMAC - Hydraulic electric paint sprayer series **PE220 | PE320 | PE330 | PE340**

Article No.	100220	100320	100330	100340
Model	PE220	PE320	PE330	PE340
Operation Type	hydraulic	hydraulic	hydraulic	hydraulic
Power	electric motor	electric motor	electric motor	electric motor
Horse Power	2hp	2.5hp	3hp	4hp
Max. Working Pressure	225 bar	225 bar	225 bar	225 bar
Max. Delivery Flow	3.7 l/min	4.7 l/min	5.9 l/min	7.5 l/min
Max. Tip Size	0.031"	0.035"	0.039"	0.043"
Includes	airless paint hose 1/4" - 15 meters airless paint gun gun guard spray tip			

Spray Material

Interior & exterior wall paints
 Emulsion | Acrylics | Elastomeric
 Block fillers | Latex
 Solvent based paint
 Airless premixed plaster

Applications

Medium to large jobs
 Residential applications
 Indoor - Outdoor coatings
 1 - 2 gun user

Features

Hydraulic operation
 Built in filter
 Large material inlets
 Adjustable pressure
 Multiple users

Includes

15 m Paint hose 1/4"
 Airless paint gun
 Spray tip & Guard

GEROMAC PG350 airless hydraulic gas paint sprayer is power with a Honda GX engine, ideal for painting contractors that take on new construction sites, where electric power access is a challenge. PG350 ensures constant and even material flow, suitable for medium to large construction sites, housing and commercial coating applications. GEROMAC gas paint sprayers are available in 4.8hp & 5.5hp (Honda)



PG350

Hydraulic paint sprayer

Article No.	100350
Max. Flow	7.5 l/min
Max. Pressure	225 bar
Power	4.8 HP
Max. Tip	0.043"

Ordering options
4.8hp | Art. No. 100350
5.5hp | Art. No. 100360

Spray Material	Applications	Features	Includes
Interior & exterior wall paints Emulsion Acrylics Elastomeric Block fillers Latex Solvent based paint Airless premixed plaster	Medium to large jobs Residential applications Indoor - Outdoor coatings 1 - 2 gun user	Hydraulic operation Built in filter Large material inlets Adjustable pressure Multiple users	15 m Paint hose 1/4" Airless paint gun Spray tip & Guard



GEROMAC - Hydraulic gas paint sprayer series		PG350 PG360
Article No.	100350	100360
Model	PG350	PG360
Operation Type	hydraulic	hydraulic
Power	honda GX gas engine	honda GX gas engine
Horse Power	4.8hp	5.5hp
Max. Working Pressure	225 bar	225 bar
Max. Delivery Flow	7.5 l/min	8.5 l/min
Max. Tip Size	0.043"	0.047"
Includes	airless paint hose 1/4" 15meters airless paint gun gun guard spray tip	

Spray Material	Applications	Features	Includes
Interior & exterior wall paints Emulsion Acrylics Elastomeric Block fillers Latex Solvent based paint Airless premixed plaster	Medium to large jobs Residential applications Indoor - Outdoor coatings 1 - 2 gun user	Hydraulic operation Built in filter Large material inlets Adjustable pressure Multiple users	15 m Paint hose 1/4" Airless paint gun Spray tip & Guard

GEROMAC TG560 hydraulic texture airless sprayer has been designed for contractors most demanding jobs. Equipped with a 3" long stroke pump and extra large material inlet valve the GEROMAC's hydraulic texture sprayers can spray all texture, stucco paste, ready mixed plaster and high viscosity coating materials.

Choose between a direct immerse pump or connect a suction hose, depending on the coating application.



TG560

Hydraulic texture sprayer

Article No.	100560
Max. Flow	8.5 l/min
Max. Pressure	225 bar
Power	5.5 HP
Max. Tip	0.047"

Ordering options

3.0hp | Art. No. 100430

4.0hp | Art. No. 100440

5.5hp | Art. No. 100560

Spray Material	Applications	Features	Includes
Interior & exterior wall paints Emulsion Acrylics Elastomeric Block fillers Latex Solvent based paint Airless premixed plaster	Medium to large jobs Coating applications Indoor - Outdoor coatings 1 - 2 gun user	Hydraulic operation Built in filter Large material inlets Adjustable pressure Multiple users	15 m Paint hose 3/8" Airless paint gun Spray tip & Guard

GEROMAC - Hydraulic airless texture sprayer series **TE430 | TE440 | TG560**


Article No.	100430	100440	100560
Model	TE430	TE440	TG560
Operation Type	hydraulic	hydraulic	hydraulic
Power	electric motor	electric motor	honda GX gas engine
Horse Power	3hp	4hp	5.5hp
Max. Working Pressure	225 bar	225 bar	225 bar
Max. Delivery Flow	5.9 l/min	7.5 l/min	8.5 l/min
Max. Tip Size	0.039"	0.043"	0.047"
Includes	airless paint hose 3/8" - 15 meters airless paint gun gun guard spray tip		

Spray Material

Interior & exterior wall paints
 Emulsion | Acrylics | Elastomeric
 Block fillers | Latex
 Solvent based paint
 Airless premixed plaster

Applications

Medium to large jobs
 Coating applications
 Indoor - Outdoor coatings
 1 - 2 gun user

Features

Hydraulic operation
 Built in filter
 Large material inlets
 Adjustable pressure
 Multiple users

Includes

15 m Paint hose 3/8"
 Airless paint gun
 Spray tip & Guard

SL650

Hydraulic line striper



Article No.	100650
Max. Flow	7.5 l/min
Max. Pressure	225 bar
Power	4.8 HP
Max. Tip	0.043"

Ordering options

4.8hp Art. No. 100650
5.5hp Art. No. 100660

GEROMAC SL650 airless hydraulic line striper is ideal for road marking contractors, that in average take on small & medium size striping jobs. GEROMAC SL line stripers are powered by Honda GX engines and a powerful hydraulic system ensuring stable and constant material pumping while line marking parking lots and local city roads.

Available with 1 or 2 paint guns.

Spray Material	Applications	Features	Includes
Common road marking paint	Parking lots	Hydraulic operation	15 m Paint hose 1/4"
Heavy VOC paint	Local city roads	Built in filter	Airless paint gun
Waterborne paint	Athletic fields	Large material inlets	Spray tip & Guard
Rubberized marking paint	Schools	Swivel front wheel	
		1-2 gun operation	

GEROMAC - Hydraulic airless line striper series

SL650 | SL660

Article No.	100650	100660
Model	SL650	SL660
Operation Type	hydraulic	hydraulic
Power	honda GX gas engine	honda GX gas engine
Horse Power	4.8hp	5.5hp
Max. Working Pressure	225 bar	225 bar
Max. Delivery Flow	7.5 l/min	8.5 l/min
Max. Tip Size	0.043"	0.047"
Includes	airless paint hose 1/4" 15meters airless paint gun gun guard spray tip	


Spray Material
Applications
Features
Includes

Common road marking paint
 Heavy VOC paint
 Waterborne paint
 Rubberized marking paint

Parking lots
 Local city roads
 Athletic fields
 Schools

Hydraulic operation
 Built in filter
 Large material inlets
 Swivel front wheel
 1-2 gun operation

15 m Paint hose 1/4"
 Airless paint gun
 Spray tip & Guard

GEROMAC AP701 pneumatic airless paint pump has a compact design for easy maneuvering around the job site. Suitable for all protective coating applications and tough materials. GEROMAC's AP701 slow stroke pump allows multiple users to apply coatings simultaneously, without the pump losing any of its strength.

Available in ratio 30:1 | 40:1 | 70:1

Product Image Coming Soon



AP701

Pneumatic paint pump

Article No.	100701
Fluid Flow @ 120 cpm	8 l/min
Max. Pressure	476 bar
Fluid Pressure Ratio	70:1
Displacement Pump	72 cc

Ordering options

30:1 | Art. No. 100301

40:1 | Art. No. 100401

70:1 | Art. No. 100701

Spray Material	Applications	Features	Includes
Heavy VOC paint Epoxy / Solvent based Waterborne paint / Block fillers Rubberized / Elastomeric Latex / Primers	Marine / ship maintenance Roof coatings Bridge construction Off-shore platforms Container maintenance	Powerful air motor Built-in filter Slow stroke pump Heavy duty cart Industrial wheels	15 m Paint hose 1/4" 1w Airless paint gun HD Spray tip & Guard

GEROMAC - Pneumatic paint pump series **AP301 | AP401 | AP701**

Product Image
Coming Soon



Article No.	100301	100401	100701
Model	AP301	AP401	AP701
Operation Type	air-assisted / airless	air-assisted / airless	air-assisted / airless
Motor Size	1000	1400	2300
Fluid Pressure Ratio	30:1	40:1	70:1
Max. Working Pressure	210 bar	280 bar	476 bar
Fluid Flow (@120cpm)	8 l/min	8 l/min	8 l/min
Displacement Pump	72 cc	72 cc	72 cc
Includes	airless paint hose 1/4" 1 W- 15 meters airless paint gun gun guard spray tip		

Spray Material	Applications	Features	Includes
Heavy VOC paint	Marine / ship maintenance	Powerful air motor	15 m Paint hose 1/4" 1w
Epoxy / Solvent based	Roof coatings	Built-in filter	Airless paint gun HD
Waterborne paint / Block fillers	Bridge construction	Slow stroke pump	Spray tip & Guard
Rubberized / Elastomeric	Off-shore platforms	Heavy duty cart	
Latex / Primers	Container maintenance	Industrial wheels	



GEROMAC

... powerful machinery